

APOLLO 39 PENDANT (G9)

BRAND	ITEM NO*	EAN	DIMMABLE	NAME	FROSTED / CLEAR	SOCKET	W	LM	K	LIFETIME (H)	BEAM	CRI	HEIGHT (MM)	DIAMETER (MM)
PHILIPS	8718696578674	8718696578674	YES	PHILIPS COREPRO LEDCAPSULE MV G9 2.3W827	CLEAR	G9	2,3	215	2700	15000	180	80	51	23
OSRAM	0-811515	4058075811515	NO	OSRAM PARATHOM® PIN G9	CLEAR	G9	2,6	320	2700	15000	300	80	52	15
OSRAM**	0-812697	4058075812697	NO	OSRAM PARATHOM® PIN G9	CLEAR	G9	2,6	320	4000	15000	300	80	52	15

**4000K

APOLLO 59 PENDANT (G9)*

BRAND	ITEM NO*	EAN	DIMMABLE	NAME	FROSTED / CLEAR	SOCKET	W	LM	K	LIFETIME (H)	BEAM	CRI	HEIGHT (MM)	DIAMETER (MM)
PHILIPS	8718696578674	8718696578674	YES	PHILIPS COREPRO LEDCAPSULE MV G9 2.3W827	CLEAR	G9	2,3	215	2700	15000	180	80	51	23
OSRAM	0-811515	4058075811515	NO	OSRAM PARATHOM® PIN G9	CLEAR	G9	2,6	320	2700	15000	300	80	52	15
OSRAM**	0-812697	4058075812697	NO	OSRAM PARATHOM® PIN G9	CLEAR	G9	2,6	320	4000	15000	300	80	52	15

*COLOUR: LIGHT GREY, DEEP SEA.

**4000K

APOLLO 79 PENDANT (G9)

BRAND	ITEM NO*	EAN	DIMMABLE	NAME	FROSTED / CLEAR	SOCKET	W	LM	K	LIFETIME (H)	BEAM	CRI	HEIGHT (MM)	DIAMETER (MM)
PHILIPS	8718696578674	8718696578674	YES	PHILIPS COREPRO LEDCAPSULE MV G9 2.3W827	CLEAR	G9	2,3	215	2700	15000	180	80	51	23
OSRAM	0-811515	4058075811515	NO	OSRAM PARATHOM® PIN G9	CLEAR	G9	2,6	320	2700	15000	300	80	52	15
OSRAM**	0-812697	4058075812697	NO	OSRAM PARATHOM® PIN G9	CLEAR	G9	2,6	320	4000	15000	300	80	52	15

**4000K

APOLLO 59 PENDANT (GU10)*

BRAND	ITEM NO*	EAN	DIMMABLE	NAME	FROSTED / CLEAR	SOCKET	W	LM	K	LIFETIME (H)	BEAM	CRI	HEIGHT (MM)	DIAMETER (MM)
OSRAM	0-095427	4058075095427	YES	PARATHOM PRO PAR16	CLEAR	GU10	6,4	350	2700	40000	36	90	55	51
OSRAM**	0-095403	4058075095403	YES	PARATHOM PRO PAR16	CLEAR	GU10	6,4	350	3000	40000	36	90	55	51
OSRAM***	0-095304	4058075095304	YES	PARATHOM PRO PAR16	CLEAR	GU10	6,4	350	4000	40000	36	90	55	51
OSRAM	0-095489	4058075095489	YES	PARATHOM PAR16	CLEAR	GU10	7,2	575	2700	25000	36	80	55	51

*COLOUR: ALUMINIUM AND BLACK MAGIC

/ *3000K,4000K

APOLLO 180 FLOORLAMP (GU10)

BRAND	ITEM NO*	EAN	DIMMABLE	NAME	FROSTED / CLEAR	SOCKET	W	LM	K	LIFETIME (H)	BEAM	CRI	HEIGHT (MM)	DIAMETER (MM)
OSRAM	0-095427	4058075095427	YES	PARATHOM PRO PAR16	CLEAR	GU10	6,4	350	2700	40000	36	90	55	51
OSRAM**	0-095403	4058075095403	YES	PARATHOM PRO PAR16	CLEAR	GU10	6,4	350	3000	40000	36	90	55	51
OSRAM***	0-095304	4058075095304	YES	PARATHOM PRO PAR16	CLEAR	GU10	6,4	350	4000	40000	36	90	55	51
OSRAM	0-095489	4058075095489	YES	PARATHOM PAR16	CLEAR	GU10	7,2	575	2700	25000	36	80	55	51

/ *3000K,4000K

BELLMAN

BRAND	ITEM NO*	EAN	DIMMABLE	NAME	FROSTED / CLEAR	SOCKET	W	LM	K	LIFETIME (H)	BEAM	CRI	HEIGHT (MM)	DIAMETER (MM)
OSRAM*	0-288508	4058075288508	YES	RETRO CL P GL FR	FROSTED	E27	2,8	250	2700	15000	360	80	77	45
OSRAM	0-288102	4058075288102	NO	RETRO CL P GL FR	FROSTED	E27	4	470	2700	15000	360	80	78	45

*LM 250. RECOMMENDED FOR DECORATIVE LIGHT.

BLEND PENDANT (LED)

BRAND	ITEM NO*	EAN	DIMMABLE	NAME	FROSTED / CLEAR	SOCKET	W	LM	K	LIFETIME (H)	BEAM	CRI	HEIGHT (MM)	DIAMETER (MM)
OSRAM	0-271746	4058075271746	YES	OSRAM PARATHOM® PIN G4 – G4, 12 V	CLEAR	G4	2	200	2700	25000	300	80	40	15
OSRAM	0-811492	4058075811492	NO	OSRAM PARATHOM® PIN G4 – G4, 12 V	CLEAR	G4	2,4	300	2700	15000	300	80	44	13
PHILIPS*	871869682694200	871869682694200	NO	COREPRO LEDCAPSULELV 2.5-28W G4827	FROSTED	G4	2,5	300	2700	15000	300	80	46,5	15

*FROSTED. FOR A MORE DIFFUSED AND EVEN SPREAD LIGHT.

BLEND CEILING (LED)

BRAND	ITEM NO*	EAN	DIMMABLE	NAME	FROSTED / CLEAR	SOCKET	W	LM	K	LIFETIME (H)	BEAM	CRI	HEIGHT (MM)	DIAMETER (MM)
OSRAM	0-271746	4058075271746	YES	OSRAM PARATHOM® PIN G4 – G4, 12 V	CLEAR	G4	2	200	2700	25000	300	80	40	15
OSRAM	0-811492	4058075811492	NO	OSRAM PARATHOM® PIN G4 – G4, 12 V	CLEAR	G4	2,4	300	2700	15000	300	80	44	13
PHILIPS*	871869682694200	871869682694200	NO	COREPRO LEDCAPSULELV 2.5-28W G4827	FROSTED	G4	2,5	300	2700	15000	300	80	46,5	15

*FROSTED. FOR A MORE DIFFUSED AND EVEN SPREAD LIGHT.

BLEND FLOOR (LED)

BRAND	ITEM NO*	EAN	DIMMABLE	NAME	FROSTED / CLEAR	SOCKET	W	LM	K	LIFETIME (H)	BEAM	CRI	HEIGHT (MM)	DIAMETER (MM)
PHILIPS*	871869682694200	871869682694200	NO	COREPRO LEDCAPSULELV 2.5-28W G4827	FROSTED	G4	2,5	300	2700	15000	300	80	46,5	15
OSRAM	0-811492	4058075811492	NO	OSRAM PARATHOM® PIN G4 – G4, 12 V	CLEAR	G4	2,4	300	2700	15000	300	80	44	13
PHILIPS**	871869679767900	871869679767900	NO	COREPRO LEDCAPSULELV 1.7-20W GY6.35827	FROSTED	G4	1,7	210	2700	15000	300	80	39	15

*FROSTED. FOR A MORE DIFFUSED AND EVEN SPREAD LIGHT.

**1,7 W. LM 210. RECOMMENDED FOR DECORATIVE LIGHT.

BLOOM PENDANT 30

BRAND	ITEM NO*	EAN	DIMMABLE	NAME	FROSTED / CLEAR	SOCKET	W	LM	K	LIFETIME (H)	BEAM	CRI	HEIGHT (MM)	DIAMETER (MM)
AIRAM	4713732	-	YES	LED DEC FG G95 5W/822 E27 DIM BX	CLEAR	E27	5	300	2200	15000	360	80	140	95
AIRAM	4711591	-	YES	LED DEC FG AM G95 5W/822 E27 DIM BX	VINTAGE/GOLD	E27	5	380	2200	15000	360	80	140	95
AIRAM	4713703	-	YES	LED DECOR FG G95 9W/830 E27 DIM BX	FROSTED	E27	9	806	3000	15000	360	80	130	90
OSRAM	0-288461	4058075288461	YES	OSRAM PARATHOM® DIM GLOBE	FROSTED	E27	8,5	1055	2700	15000	360	80	140	95

BLOOM PENDANT 50

BRAND	ITEM NO*	EAN	DIMMABLE	NAME	FROSTED / CLEAR	SOCKET	W	LM	K	LIFETIME (H)	BEAM	CRI	HEIGHT (MM)	DIAMETER (MM)
AIRAM	4713733	-	YES	LED DEC FG G125 5W/822 E27 DIM BX	CLEAR	E27	5	380	2200	15000	360	80	178	125
AIRAM	4711592	-	YES	LED DECOR FG AM G125 5W/822 E27 DIM BX	VINTAGE/GOLD	E27	5	380	2200	15000	360	80	178	125
OSRAM	0-808997	4058075808997	YES	OSRAM LED VINTAGE EDITION 1906 GLOBE	VINTAGE/GOLD	E27	7,5	725	2000	15000	360	80	178	125
AIRAM	4713705	-	YES	LED DECOR FG G120 9W/830 E27 DIM BX	FROSTED	E27	9	806	3000	15000	360	80	160	120
OSRAM	0-288461	4058075288461	YES	OSRAM PARATHOM® DIM GLOBE	FROSTED	E27	8,5	1055	2700	15000	360	80	140	95

BOUNCE 116 PENDANT (G9)

BRAND	ITEM NO*	EAN	DIMMABLE	NAME	FROSTED / CLEAR	SOCKET	W	LM	K	LIFETIME (H)	BEAM	CRI	HEIGHT (MM)	DIAMETER (MM)
AIRAM	4711774	-	YES	LED PO 3W/827 G9 DIM BL	CLEAR	G9	3	250	2700	15000	300	80	49	18
PHILIPS*	871869671392100	871869671392100	NO	COREPRO LEDCAPSULE ND 1.9-25W G9827	FROSTED	G9	1,9	204	2700	15000	300	80	48	16,5

*FROSTED. THIS LIGHTSOURCE GIVES A NICE AND EVEN LIGHT IN THE GLASS.
(COMPARE TO THE DIMMABLE, CLEAR VERSIONS, THAT CREATES SOME SMALL SHADOWS IN THE GLASS SHADE)

BOUNCE 169 PENDANT (G9)

BRAND	ITEM NO*	EAN	DIMMABLE	NAME	FROSTED / CLEAR	SOCKET	W	LM	K	LIFETIME (H)	BEAM	CRI	HEIGHT (MM)	DIAMETER (MM)
AIRAM	4711774	-	YES	LED PO 3W/827 G9 DIM BL	CLEAR	G9	3	250	2700	15000	300	80	49	18
PHILIPS*	871869671392100	871869671392100	NO	COREPRO LEDCAPSULE ND 1.9-25W G9827	FROSTED	G9	1,9	204	2700	15000	300	80	48	16,5

*FROSTED. THIS LIGHTSOURCE GIVES A NICE AND EVEN LIGHT IN THE GLASS.
(COMPARE TO THE DIMMABLE, CLEAR VERSIONS, THAT CREATES SOME SMALL SHADOWS IN THE GLASS SHADE)

CHAMPAGNE PENDANT (G9)

BRAND	ITEM NO*	EAN	DIMMABLE	NAME	FROSTED / CLEAR	SOCKET	W	LM	K	LIFETIME (H)	BEAM	CRI	HEIGHT (MM)	DIAMETER (MM)
OSRAM	0-811553	4058075811553	YES	PARATHOM PIN	CLEAR	G9	3,5	350	2700	25000	300	80	58	20
OSRAM	0-811812	4058075811812	NO	OSRAM PARATHOM® PIN G9	CLEAR	G9	3,8	470	2700	15000	300	80	58	20
OSRAM*	0-812710	4058075812710	NO	OSRAM PARATHOM® PIN G9	CLEAR	G9	3,8	470	4000	15000	300	80	58	20

*4000K

CHAMPAGNE TABLE (G9)

BRAND	ITEM NO*	EAN	DIMMABLE	NAME	FROSTED / CLEAR	SOCKET	W	LM	K	LIFETIME (H)	BEAM	CRI	HEIGHT (MM)	DIAMETER (MM)
OSRAM	0-811812	4058075811812	NO	PARATHOM® PIN G9 – G9, 300°, 220-240 V	CLEAR	G9	3,8	470	2700	15000	300	80	58	20
OSRAM	0-811812	4058075811812	NO	OSRAM PARATHOM® PIN G9	CLEAR	G9	3,8	470	2700	15000	300	80	58	20
OSRAM*	0-812710	4058075812710	NO	OSRAM PARATHOM® PIN G9	CLEAR	G9	3,8	470	4000	15000	300	80	58	20

*4000K

DONNA 7 (G9)

BRAND	ITEM NO*	EAN	DIMMABLE	NAME	FROSTED / CLEAR	SOCKET	W	LM	K	LIFETIME (H)	BEAM	CRI	HEIGHT (MM)	DIAMETER (MM)
OSRAM	0-811553	4058075811553	YES	PARATHOM PIN	CLEAR	G9	3,5	350	2700	25000	300	80	58	20
OSRAM	0-811812	4058075811812	NO	PARATHOM® PIN G9 – G9, 300°, 220-240 V	CLEAR	G9	3,8	470	2700	15000	300	80	58	20
OSRAM*	0-812710	4058075812710	NO	OSRAM PARATHOM® PIN G9	CLEAR	G9	3,8	470	4000	15000	300	80	58	20

*4000K

DONNA 18

BRAND	ITEM NO*	EAN	DIMMABLE	NAME	FROSTED / CLEAR	SOCKET	W	LM	K	LIFETIME (H)	BEAM	CRI	HEIGHT (MM)	DIAMETER (MM)
OSRAM	0-287402	4058075287402	YES	OSRAM PARATHOM® DIM CLASSIC A	FROSTED	E27	7	806	2700	15000	360	80	105	60
OSRAM	0-287600	4058075287600	YES	OSRAM PARATHOM® DIM CLASSIC A	FROSTED	E27	8,5	1055	2700	15000	360	80	105	60
OSRAM	0-288386	4058075288386	YES	OSRAM PARATHOM® DIM CLASSIC A	FROSTED	E27	12	1521	2700	15000	360	80	105	60
OSRAM*	0-287426	4058075287426	YES	OSRAM PARATHOM® DIM CLASSIC A	FROSTED	E27	7	806	4000	15000	360	80	105	60
OSRAM*	0-107762	4058075107762	YES	OSRAM PARATHOM® DIM CLASSIC A	FROSTED	E27	8,5	1055	4000	15000	360	80	105	60

*4000 K

DONNA LINE 120 (GU10)

BRAND	ITEM NO*	EAN	DIMMABLE	NAME	FROSTED / CLEAR	SOCKET	W	LM	K	LIFETIME (H)	BEAM	CRI	HEIGHT (MM)	DIAMETER (MM)
OSRAM	0-095427	4058075095427	YES	PARATHOM PRO PAR16	CLEAR	GU10	6,4	350	2700	40000	36	90	55	51
OSRAM**	0-095403	4058075095403	YES	PARATHOM PRO PAR16	CLEAR	GU10	6,4	350	3000	40000	36	90	55	51
OSRAM**	0-095304	4058075095304	YES	PARATHOM PRO PAR16	CLEAR	GU10	6,4	350	4000	40000	36	90	55	51
OSRAM	0-095489	4058075095489	YES	PARATHOM PAR16	CLEAR	GU10	7,2	575	2700	25000	36	80	55	51

**3000K, 4000K

DONNA CIRCLE 60 (GU10)

BRAND	ITEM NO*	EAN	DIMMABLE	NAME	FROSTED / CLEAR	SOCKET	W	LM	K	LIFETIME (H)	BEAM	CRI	HEIGHT (MM)	DIAMETER (MM)
OSRAM	0-095427	4058075095427	YES	PARATHOM PRO PAR16	CLEAR	GU10	6,4	350	2700	40000	36	90	55	51
OSRAM**	0-095403	4058075095403	YES	PARATHOM PRO PAR16	CLEAR	GU10	6,4	350	3000	40000	36	90	55	51
OSRAM**	0-095304	4058075095304	YES	PARATHOM PRO PAR16	CLEAR	GU10	6,4	350	4000	40000	36	90	55	51
OSRAM	0-095489	4058075095489	YES	PARATHOM PAR16	CLEAR	GU10	7,2	575	2700	25000	36	80	55	51

**3000K, 4000K

DONNA CIRCLE 100 (GU10)

BRAND	ITEM NO*	EAN	DIMMABLE	NAME	FROSTED / CLEAR	SOCKET	W	LM	K	LIFETIME (H)	BEAM	CRI	HEIGHT (MM)	DIAMETER (MM)
OSRAM	0-095427	4058075095427	YES	PARATHOM PRO PAR16	CLEAR	GU10	6,4	350	2700	40000	36	90	55	51
OSRAM**	0-095403	4058075095403	YES	PARATHOM PRO PAR16	CLEAR	GU10	6,4	350	3000	40000	36	90	55	51
OSRAM**	0-095304	4058075095304	YES	PARATHOM PRO PAR16	CLEAR	GU10	6,4	350	4000	40000	36	90	55	51
OSRAM	0-095489	4058075095489	YES	PARATHOM PAR16	CLEAR	GU10	7,2	575	2700	25000	36	80	55	51

**3000K,4000K

EDGE 20 PENDANT

BRAND	ITEM NO*	EAN	DIMMABLE	NAME	FROSTED / CLEAR	SOCKET	W	LM	K	LIFETIME (H)	BEAM	CRI	HEIGHT (MM)	DIAMETER (MM)
OSRAM	0-288188	4058075288188	YES	OSRAM PARATHOM® DIM CLASSIC P	FROSTED	E14	4,5	470	2700	15000	360	80	78	45

HANS 35 PENDANT (G9)

BRAND	ITEM NO*	EAN	DIMMABLE	NAME	FROSTED / CLEAR	SOCKET	W	LM	K	LIFETIME (H)	BEAM	CRI	HEIGHT (MM)	DIAMETER (MM)
AIRAM	4711774	-	YES	LED PO 3W/827 G9 DIM BL	CLEAR	G9	3	250	2700	15000	300	80	49	18
PHILIPS*	871869671392100	871869671392100	NO	COREPRO LEDCAPSULE ND 1.9-25W G9827	FROSTED	G9	1,9	204	2700	15000	300	80	48	16,5

*FROSTED. THIS LIGHTSOURCE GIVES A NICE AND EVEN LIGHT IN THE GLASS.
(COMPARE TO THE DIMMABLE, CLEAR VERSIONS, THAT CREATES SOME SMALL SHADOWS IN THE GLASS SHADE)

HANS 35 TABLE (G9)

BRAND	ITEM NO*	EAN	DIMMABLE	NAME	FROSTED / CLEAR	SOCKET	W	LM	K	LIFETIME (H)	BEAM	CRI	HEIGHT (MM)	DIAMETER (MM)
OSRAM	0-811812	4058075811812	NO	PARATHOM® PIN G9 – G9, 300°, 220-240 V	CLEAR	G9	3,8	470	2700	15000	300	80	58	20
OSRAM*	0-812710	4058075812710	NO	OSRAM PARATHOM® PIN G9	CLEAR	G9	3,8	470	4000	15000	300	80	58	20

*4000K

HANS 50 PENDANT

BRAND	ITEM NO*	EAN	DIMMABLE	NAME	FROSTED / CLEAR	SOCKET	W	LM	K	LIFETIME (H)	BEAM	CRI	HEIGHT (MM)	DIAMETER (MM)
OSRAM	0-288461	4058075288461	YES	OSRAM PARATHOM® DIM GLOBE	FROSTED	E27	8,5	1055	2700	15000	360	80	140	95
AIRAM	4713703	-	YES	LED DECOR FG G95 9W/830 E27 DIM BX	FROSTED	E27	9	806	3000	15000	360	80	130	90

HANS 50 FLOOR

BRAND	ITEM NO*	EAN	DIMMABLE	NAME	FROSTED / CLEAR	SOCKET	W	LM	K	LIFETIME (H)	BEAM	CRI	HEIGHT (MM)	DIAMETER (MM)
OSRAM	0-287327	4058075287327	YES	OSRAM PARATHOM® DIM CLASSIC A	FROSTED	E27	4,5	470	2700	15000	360	80	105	60
OSRAM	0-287402	4058075287402	YES	OSRAM PARATHOM® DIM CLASSIC A	FROSTED	E27	7	806	2700	15000	360	80	105	60
OSRAM	0-287600	4058075287600	YES	OSRAM PARATHOM® DIM CLASSIC A	FROSTED	E27	8,5	1055	2700	15000	360	80	105	60

KANDINSKY 30 PENDANT - SPARE PART

BRAND	ITEM NO*	EAN	DIMMABLE	NAME	FROSTED / CLEAR	SOCKET	W	LM	K	LIFETIME (H)	BEAM	CRI	HEIGHT (MM)	DIAMETER (MM)
PHOLC	51730	-	YES	KANDINSKY 30 PENDANT LIGHTSOURCE SPARE PART	FROSTED	DC	5	417	2700	15000	360	80		

KANDINSKY 45 PENDANT - SPARE PART

BRAND	ITEM NO*	EAN	DIMMABLE	NAME	FROSTED / CLEAR	SOCKET	W	LM	K	LIFETIME (H)	BEAM	CRI	HEIGHT (MM)	DIAMETER (MM)
PHOLC	51845	-	YES	KANDINSKY45 PENDANT LIGHTSOURCE SPARE PART	FROSTED	DC	6	500	2700	15000	360	80		

MOBIL 70 PENDANT (G9)

BRAND	ITEM NO*	EAN	DIMMABLE	NAME	FROSTED / CLEAR	SOCKET	W	LM	K	LIFETIME (H)	BEAM	CRI	HEIGHT (MM)	DIAMETER (MM)
AIRAM	4711774	-	YES	LED PO 3W/827 G9 DIM BL	CLEAR	G9	3	250	2700	15000	300	80	49	18
PHILIPS*	871869671392100	871869671392100	NO	COREPRO LEDCAPSULE ND 1.9-25W G9827	FROSTED	G9	1,9	204	2700	15000	300	80	48	16,5

*FROSTED. THIS LIGHTSOURCE GIVES A NICE AND EVEN LIGHT IN THE GLASS.
(COMPARE TO THE DIMMABLE, CLEAR VERSIONS, THAT CREATES SOME SMALL SHADOWS IN THE GLASS SHADE)

MOBIL 100 PENDANT (G9)

BRAND	ITEM NO*	EAN	DIMMABLE	NAME	FROSTED / CLEAR	SOCKET	W	LM	K	LIFETIME (H)	BEAM	CRI	HEIGHT (MM)	DIAMETER (MM)
AIRAM	4711774	-	YES	LED PO 3W/827 G9 DIM BL	CLEAR	G9	3	250	2700	15000	300	80	49	18
PHILIPS*	871869671392100	871869671392100	NO	COREPRO LEDCAPSULE ND 1.9-25W G9827	FROSTED	G9	1,9	204	2700	15000	300	80	48	16,5

*FROSTED. THIS LIGHTSOURCE GIVES A NICE AND EVEN LIGHT IN THE GLASS.
(COMPARE TO THE DIMMABLE, CLEAR VERSIONS, THAT CREATES SOME SMALL SHADOWS IN THE GLASS SHADE)

MOBIL 46 WALL (FIXED INSTALLATION)

BRAND	ITEM NO*	EAN	DIMMABLE	NAME	FROSTED / CLEAR	SOCKET	W	LM	K	LIFETIME (H)	BEAM	CRI	HEIGHT (MM)	DIAMETER (MM)
AIRAM	4711774	-	YES	LED PO 3W/827 G9 DIM BL	CLEAR	G9	3	250	2700	15000	300	80	49	18
PHILIPS*	871869671392100	871869671392100	NO	COREPRO LEDCAPSULE ND 1.9-25W G9827	FROSTED	G9	1,9	204	2700	15000	300	80	48	16,5

*FROSTED. THIS LIGHTSOURCE GIVES A NICE AND EVEN LIGHT IN THE GLASS.
(COMPARE TO THE DIMMABLE, CLEAR VERSIONS, THAT CREATES SOME SMALL SHADOWS IN THE GLASS SHADE)

MOBIL 12 WALL (FIXED INSTALLATION)

BRAND	ITEM NO*	EAN	DIMMABLE	NAME	FROSTED / CLEAR	SOCKET	W	LM	K	LIFETIME (H)	BEAM	CRI	HEIGHT (MM)	DIAMETER (MM)
AIRAM	4711774	-	YES	LED PO 3W/827 G9 DIM BL	CLEAR	G9	3	250	2700	15000	300	80	49	18
PHILIPS*	871869671392100	871869671392100	NO	COREPRO LEDCAPSULE ND 1.9-25W G9827	FROSTED	G9	1,9	204	2700	15000	300	80	48	16,5

*FROSTED. THIS LIGHTSOURCE GIVES A NICE AND EVEN LIGHT IN THE GLASS.
(COMPARE TO THE DIMMABLE, CLEAR VERSIONS, THAT CREATES SOME SMALL SHADOWS IN THE GLASS SHADE)

MOBIL 46 WALL (CABLE / LED)

BRAND	ITEM NO*	EAN	DIMMABLE	NAME	FROSTED / CLEAR	SOCKET	W	LM	K	LIFETIME (H)	BEAM	CRI	HEIGHT (MM)	DIAMETER (MM)
AIRAM	4711774	-	YES	LED PO 3W/827 G9 DIM BL	CLEAR	G9	3	250	2700	15000	300	80	49	18
PHILIPS*	871869671392100	871869671392100	NO	COREPRO LEDCAPSULE ND 1.9-25W G9827	FROSTED	G9	1,9	204	2700	15000	300	80	48	16,5

*FROSTED. THIS LIGHTSOURCE GIVES A NICE AND EVEN LIGHT IN THE GLASS.
(COMPARE TO THE DIMMABLE, CLEAR VERSIONS, THAT CREATES SOME SMALL SHADOWS IN THE GLASS SHADE)

MOBIL 150 WALL (CABLE / LED)

BRAND	ITEM NO*	EAN	DIMMABLE	NAME	FROSTED / CLEAR	SOCKET	W	LM	K	LIFETIME (H)	BEAM	CRI	HEIGHT (MM)	DIAMETER (MM)
AIRAM	4711774	-	YES	LED PO 3W/827 G9 DIM BL	CLEAR	G9	3	250	2700	15000	300	80	49	18
PHILIPS*	871869671392100	871869671392100	NO	COREPRO LEDCAPSULE ND 1.9-25W G9827	FROSTED	G9	1,9	204	2700	15000	300	80	48	16,5

*FROSTED. THIS LIGHTSOURCE GIVES A NICE AND EVEN LIGHT IN THE GLASS.
(COMPARE TO THE DIMMABLE, CLEAR VERSIONS, THAT CREATES SOME SMALL SHADOWS IN THE GLASS SHADE)

MOBIL TABLE (CABLE / LED)

BRAND	ITEM NO*	EAN	DIMMABLE	NAME	FROSTED / CLEAR	SOCKET	W	LM	K	LIFETIME (H)	BEAM	CRI	HEIGHT (MM)	DIAMETER (MM)
AIRAM	4711774	-	YES	LED PO 3W/827 G9 DIM BL	CLEAR	G9	3	250	2700	15000	300	80	49	18
PHILIPS*	871869671392100	871869671392100	NO	COREPRO LEDCAPSULE ND 1.9-25W G9827	FROSTED	G9	1,9	204	2700	15000	300	80	48	16,5

*FROSTED. THIS LIGHTSOURCE GIVES A NICE AND EVEN LIGHT IN THE GLASS.
(COMPARE TO THE DIMMABLE, CLEAR VERSIONS, THAT CREATES SOME SMALL SHADOWS IN THE GLASS SHADE)

PEARLS 80 PENDANT (G9)

BRAND	ITEM NO*	EAN	DIMMABLE	NAME	FROSTED / CLEAR	SOCKET	W	LM	K	LIFETIME (H)	BEAM	CRI	HEIGHT (MM)	DIAMETER (MM)
AIRAM	4711774	-	YES	LED PO 3W/827 G9 DIM BL	CLEAR	G9	3	250	2700	15000	300	80	49	18
PHILIPS*	871869671392100	871869671392100	NO	COREPRO LEDCAPSULE ND 1.9-25W G9827	FROSTED	G9	1,9	204	2700	15000	300	80	48	16,5

*FROSTED. THIS LIGHTSOURCE GIVES A NICE AND EVEN LIGHT IN THE GLASS.
(COMPARE TO THE DIMMABLE, CLEAR VERSIONS, THAT CREATES SOME SMALL SHADOWS IN THE GLASS SHADE)

PEARLS 65 PENDANT (G9)

BRAND	ITEM NO*	EAN	DIMMABLE	NAME	FROSTED / CLEAR	SOCKET	W	LM	K	LIFETIME (H)	BEAM	CRI	HEIGHT (MM)	DIAMETER (MM)
AIRAM	4711774	-	YES	LED PO 3W/827 G9 DIM BL	CLEAR	G9	3	250	2700	15000	300	80	49	18
PHILIPS*	871869671392100	871869671392100	NO	COREPRO LEDCAPSULE ND 1.9-25W G9827	FROSTED	G9	1,9	204	2700	15000	300	80	48	16,5

*FROSTED. THIS LIGHTSOURCE GIVES A NICE AND EVEN LIGHT IN THE GLASS.
(COMPARE TO THE DIMMABLE, CLEAR VERSIONS, THAT CREATES SOME SMALL SHADOWS IN THE GLASS SHADE)

SPINN PENDANT

BRAND	ITEM NO*	EAN	DIMMABLE	NAME	FROSTED / CLEAR	SOCKET	W	LM	K	LIFETIME (H)	BEAM	CRI	HEIGHT (MM)	DIAMETER (MM)
OSRAM	0-808997	4058075808997	YES	OSRAM LED VINTAGE EDITION 1906 GLOBE	CLEAR/VINTAGE	E27	7,5	725	2000	15000	360	80	178	125
PHILIPS	871869964656100	871869964656100	YES	CLA LEDBULB DT9-60W E27 CRI90 G93 CL	CLEAR	E27	9	806	2700	15000	360	80	141	95

SPINN TABLE (LED)

BRAND	ITEM NO*	EAN	DIMMABLE	NAME	FROSTED / CLEAR	SOCKET	W	LM	K	LIFETIME (H)	BEAM	CRI	HEIGHT (MM)	DIAMETER (MM)
OSRAM	0-808997	4058075808997	YES	OSRAM LED VINTAGE EDITION 1906 GLOBE	CLEAR/VINTAGE	E27	7,5	725	2000	15000	360	80	178	125
PHILIPS	871869964656100	871869964656100	YES	CLA LEDBULB DT9-60W E27 CRI90 G93 CL	CLEAR	E27	9	806	2700	15000	360	80	141	95